



WEBLEY AIRGUNS & ACCESSORIES | 2017-2018

AGS
AIRGUNSPORT





TABLE OF CONTENTS

CO2 PISTOL	
MKVI BATTLEFIELD FINISH	3
MKVI EXHIBITION FINISH	4
MKVI BLACK FINISH	5
MKVI ACCESSORIES	6
AIR RIFLES	
SPECTOR	7
SPECTOR QUANTUM	8
VMX	9
VMX QUANTUM	10
STINGRAY QUANTUM & STINGRAY	11
STINGRAY HUNTER QUANTUM & STINGRAY HUNTER	12
PATRIOT	13
QUANTUM UNIVERSAL SILENCER	14
RAIDER 10 PCP	15
RAIDER 12 QUANTUM	16
AIR PISTOLS	
TEMPEST	17
TYPHOON	18
PELLETS	20
CLOTHING	22
ACCESSORIES	23
AGS	25

Webley, for over 100 years, has been designing and developing airguns that have boasted quality, innovation and reliability. This tradition remains our signature for the next 100 years and beyond with exciting plans for a new generation of development.

New additions to the Webley range in 2017 include:

WEBLEY MKVI

CO² powered revolvers in 4.5mm BB, 6mm BB and .177 pellet options. Launched for 2017 is the New Nickel Plated MKVI.

WEBLEY SPECTOR

A new family of tactical designed traditional break action air rifles in both spring and D-Ram. And new for 2017, the Spector Quantum integrated silencer model.

WEBLEY RAIDER 12

For 2017 Webley Launches the all new Raider 12 PCP with new design features, including 14 shot .177 and 12 shot .22 with side lever action.

WEBLEY QUANTUM

Webley's tradition for innovation, sees the launch for 2017 of the Webley Quantum silencer, offering one of the quietest break barrel integrated silencers on the market today which is available on a range of Webley Air Rifles. In addition this new design is available as the new Quantum Universal Silencer which will fit just about any break barrel air rifle.

WEBLEY PELLETS

The Webley pellet family has grown with new developments and innovation. The Webley VelociPell is a lightweight .177 pellet designed especially for Co² and spring airguns. The AccuBB .177 full copper jacket lead BB greatly reduces ricochet. And by popular demand, Webley brings back one of its best selling pellets, the Mosquito Express in .177 and .22 cal.

MKVI BATTLEFIELD FINISH



Also available in .177 rifled barrel

BATTLEFIELD
FINISH

.455
WEBLEY

100 years after the Webley Mark VI was adopted as the standard Firearm for British and Commonwealth troops. The battlefield finish MKVI gives an unique and distressed finish that has been battle proven. Available in 4.5mm and 6mm BB as well as the new .177 rifled barrel pellet gun.

- Built from original blueprints
- Loads, cycles, fires and ejects as the original
- Original 1915 markings
- Single / Double action
- Full size
- Field strippable
- Full metal construction
- 6 Inch barrel
- 6 Shot
- Battlefield finish (distressed)
- Available in 4.5mm, 6mm & .177

MODEL	CALIBRE	VELOCITY		ENERGY		LENGTH	WEIGHT
		ft/sec	m/sec	ft. lbs	Joules		
WPIMK6BF177	.177 Pellet	<430	<130	2.1	<3	11.25"(286mm)	2.4lbs(1.1kg)
WPIMK6BF45	4.5mm BB	<430	<130	2.1	<3	11.25"(286mm)	2.4lbs(1.1kg)
WPIMK6BF60	6mm BB	<460	<140	<1.4	<2	11.25"(286mm)	2.4lbs(1.1kg)

MKVI EXHIBITION FINISH

NEW



Also available in .177 rifled barrel



New for 2017 is the MKVI nickel plated silver finished airgun. Using the same dimensions and features as the standard MKVI with the addition of a silver finish that brings this gun into the 21st century.

- Built from original blueprints
- Loads, cycles, fires and ejects as the original
- Original 1915 markings
- Single / Double action
- Full size
- Field strippable
- Full metal construction
- 6 Inch barrel
- 6 Shot
- New nickel plated silver finish
- Available in 4.5mm, 6mm & .177

MODEL	CALIBRE	VELOCITY		ENERGY		LENGTH	WEIGHT
		ft/sec	m/sec	ft. lbs	Joules		
WPIMK6S177	.177 Pellet	<430	<130	2.1	<3	11.25"(286mm)	2.4lbs(1.1kg)
WPIMK6S45	4.5mm BB	<430	<130	2.1	<3	11.25"(286mm)	2.4lbs(1.1kg)
WPIMK6S60	6mm BB	<460	<140	<1.4	<2	11.25"(286mm)	2.4lbs(1.1kg)

MKVI BLACK FINISH

.455 WEBLEY



Also available in
.177 rifled barrel

The original and still the best, the Webley MKVI black finish is still our most popular CO² revolver. Designed and manufactured using the original blueprints dating back over 100 years. Beautiful in design with its proven heritage, the MKVI is a must for the discerning collector or enthusiast.

- Built from original blueprints
- Loads, cycles, fires and ejects as the original
- Original 1915 markings
- Single / Double action
- Full size
- Field strippable
- Full metal construction
- 6 Inch barrel
- 6 Shot
- Black finish
- Available in 4.5mm, 6mm & .177

MODEL	CALIBRE	VELOCITY		ENERGY		LENGTH	WEIGHT
		ft/sec	m/sec	ft. lbs	Joules		
WPIMK6177	.177 Pellet	<430	<130	2.1	<3	11.25"(286mm)	2.4lbs(1.1kg)
WPIMK645	4.5mm BB	<430	<130	2.1	<3	11.25"(286mm)	2.4lbs(1.1kg)
WPIMK660	6mm BB	<460	<140	<1.4	<2	11.25"(286mm)	2.4lbs(1.1kg)

MKVI ACCESSORIES



REPLACEMENT SHELLS

Webley Replacement Shells for the MKVI Service Revolver.

.177CAL lead pellet. Available in packs of 6 with speed loader or 24 bulk packs.



REPLACEMENT SHELLS

Webley Replacement Shells for the MKVI Service Revolver.

6mm & 4.5mm. Available in packs of 6 with speed loader or 24 bulk packs.



LEATHER HOLSTER

Designed to fit the Webley MKVI Revolver. Featuring 100% Leather with a Brown Finish and detailed Trim with Belt loops. Made to the original specifications, the leather holster compliments all Webley MKVI Revolvers.



CANVAS HOLSTER

Made to the original specifications. Featuring 100% Canvas with detailed Trim and Belt loops.



SPEEDLOADER

.177cal lead pellet. Comes complete with packs of 6 replacement shells.



SPECTOR



BLACK SYNTHETIC

- Available powered by POWR-LOK mainspring or D-RAM gas piston
- Tactical ambidextrous synthetic stock
- Precision rifle barrel
- Machined scope grooves
- Automatic re-settable safety catch
- Two-stage trigger
- TRU-GLO sight system with micro adjustable rear sight

* Please note that the scope is not included.



The Spector is available with Webleys' D-RAM gas piston as a power source rather than a coiled spring. This provides a much smoother cocking action with the added benefit of greater shot consistency.



MODEL	BARREL LENGTH	OVERALL LENGTH		WEIGHT	
SPECTOR	17.7"(45cm)	42"	(107cm)	6.8lbs	(3.1kg)

MODEL	CALIBRE	VELOCITY		ENERGY	
		ft/sec	m/sec	ft. lbs	Joules
SPECIFICATIONS - UK SPEC					
WRSPECB177	.177 (4.5mm)	800	240	11.5	15
WRSPECB22	.22 (5.5mm)	600	180	11.5	15
SPECIFICATIONS - UNRESTRICTED					
WRSPECB177FAC	.177 (4.5mm)	1000	300	18	24
WRSPECB20WFAC	.20 WEBLEY	820	250	20	27
WRSPECB22FAC	.22 (5.5mm)	820	250	20	27
SPECIFICATIONS - 7.5 JOULES					
WRSPECB177J75	.177 (4.5mm)	600	183	5.5	7.5
SPECIFICATIONS - 2 JOULES					
WRSPECB177J2	.177 (4.5mm)	300	90	1.47	2

* Other power levels available on request.

SPECTOR QUANTUM

NEW




BLACK SYNTHETIC



- Available powered by POWR-LOK mainspring or D-RAM gas piston
- Tactical ambidextrous synthetic stock
- Precision rifle barrel
- Machined scope grooves
- Automatic re-settable safety catch
- Two-stage trigger
- Quantum silencer with multi baffles

* Please note that the scope is not included.



The Spector is available with Webleys' D-RAM gas piston as a power source rather than a coiled spring. This provides a much smoother cocking action with the added benefit of greater shot consistency.



MODEL	BARREL LENGTH	OVERALL LENGTH		WEIGHT	
SPECTOR QUANTUM	10.25"(26cm)	41.75"	(106cm)	7lbs	(3.2kg)

MODEL	CALIBRE	VELOCITY		ENERGY	
		ft/sec	m/sec	ft. lbs	Joules
SPECIFICATIONS - UK SPEC					
WRSPECBO177	.177 (4.5mm)	800	240	11.5	15
WRSPECBO22	.22 (5.5mm)	600	180	11.5	15
SPECIFICATIONS - UNRESTRICTED					
WRSPECBO177FAC	.177 (4.5mm)	1000	300	18	24
WRSPECBO20WFAC	.20 WEBLEY	820	250	20	27
WRSPECBO22FAC	.22 (5.5mm)	820	250	20	27
SPECIFICATIONS - 7.5 JOULES					
WRSPECBO177J75	.177 (4.5mm)	600	183	5.5	7.5
WRSPECBO22J75	.22 (5.5mm)	417	127	5.5	7.5
SPECIFICATIONS - 2 JOULES					
WRSPECBO177J2	.177 (4.5mm)	300	90	1.47	2

* Other power levels available on request.

VMX



- Available powered by POWR-LOK mainspring or D-RAM gas piston
- Black, Green or Mossy Oak® camo synthetic ambidextrous stock
- Precision rifle barrel
- Machined scope grooves
- Automatic re-settable safety catch
- Two-stage trigger
- TRU-GLO sight system with micro adjustable rear sight

* Please note that the scope is not included.



The VMX is available with Webleys' D-RAM gas piston as a power source rather than a coiled spring. This provides a much smoother cocking action with the added benefit of greater shot consistency.



MODEL	BARREL LENGTH	OVERALL LENGTH		WEIGHT	
VMX	17.7"(45cm)	43"(109cm)		6lbs7oz(2.9kg)	
MODEL	CALIBRE	VELOCITY		ENERGY	
		ft/sec	m/sec	ft. lbs	Joules
SPECIFICATIONS - UK SPEC					
WRVX-177	.177 (4.5mm)	800	240	11.5	15
WRVX-22	.22 (5.5mm)	600	180	11.5	15
SPECIFICATIONS - UNRESTRICTED					
WRVX-177FAC	.177 (4.5mm)	1000	300	18	24
WRVX-20WFAC	.20 WEBLEY	820	250	20	27
WRVX-22FAC	.22 (5.5mm)	820	250	20	27
SPECIFICATIONS - 7.5 JOULES					
WRVX-77J75	.177 (4.5mm)	600	183	5.5	7.5
WRVX-22J75	.22 (5.5mm)	417	127	5.5	7.5
SPECIFICATIONS - 2 JOULES					
WRVX-177J2	.177 (4.5mm)	300	90	1.47	2

* Other power levels available on request.

VMX QUANTUM



NEW



- Available powered by POWR-LOK mainspring or D-RAM gas piston
- Black, Green or Mossy Oak® camo synthetic ambidextrous stock
- Precision rifle barrel
- Machined scope grooves
- Automatic re-settable safety catch
- Two-stage trigger
- Quantum silencer with multi baffles

* Please note that the scope is not included.



The VMX Quantum is available with Webleys' D-RAM gas piston as a power source rather than a coiled spring. This provides a much smoother cocking action with the added benefit of greater shot consistency.



MODEL	BARREL LENGTH	OVERALL LENGTH		WEIGHT	
VMX QUANTUM	10.25"(26cm)	41.75"(106cm)		7lbs(3.2kg)	
MODEL	CALIBRE	VELOCITY		ENERGY	
		ft/sec	m/sec	ft. lbs	Joules
SPECIFICATIONS - UK SPEC					
WRVX-O177	.177 (4.5mm)	800	240	11.5	15
WRVX-O22	.22 (5.5mm)	600	180	11.5	15
SPECIFICATIONS - UNRESTRICTED					
WRVX-O177FAC	.177 (4.5mm)	1000	300	18	24
WRVX-O20WFAC	.20 WEBLEY	820	250	20	27
WRVX-O22FAC	.22 (5.5mm)	820	250	20	27
SPECIFICATIONS - 7.5 JOULES					
WRVX-O77J75	.177 (4.5mm)	600	183	5.5	7.5
WRVX-O22J75	.22 (5.5mm)	417	127	5.5	7.5
SPECIFICATIONS - 2 JOULES					
WRVX-O177J2	.177 (4.5mm)	300	90	1.47	2

* Other power levels available on request.

STINGRAY QUANTUM & STINGRAY

NEW



STINGRAY

MODEL	BARREL LENGTH	OVERALL LENGTH	WEIGHT
STINGRAY	17.5"(44cm)	41.1"(104cm)	7.3lbs(3.3kg)
STINGRAY QUANTUM	11.5"(29.2cm)	40.5"(103cm)	6.9lbs(3.15kg)


MODEL	CALIBRE	VELOCITY		ENERGY	
		ft/sec	m/sec	ft. lbs	Joules
SPECIFICATIONS - UK SPEC					
WRSRAY177	.177 (4.5mm)	800	240	11.5	15
WRSRAY22	.22 (5.5mm)	600	180	11.5	15
SPECIFICATIONS - UNRESTRICTED					
WRSRAY177FAC	.177 (4.5mm)	890	270	13	18
WRSRAY22FAC	.22 (5.5mm)	660	200	14	19
SPECIFICATIONS - 7.5 JOULE					
WRSRAY177J75	.177 (4.5mm)	600	183	5.5	7.5
WRSRAY22J75	.22 (5.5mm)	417	127	5.5	7.5
SPECIFICATIONS - 2 JOULES					
WRSRAY177J2	.177 (4.5mm)	300	90	1.47	2

* Other power levels available on request.

- Precision steel rifled barrel
- Machined scope grooves
- POWR-LOK mainspring
- Automatic re-settable safety catch
- High quality ambidextrous walnut stock

- Fully adjustable two-stage Quattro Trigger
- TRU-GLO sight system with micro adjustable rear sight on standard Stingray model only
- Available in standard or Quantum models

* Please note that the scope is not included.



STINGRAY HUNTER QUANTUM & STINGRAY HUNTER

NEW



STINGRAY HUNTER

MODEL	BARREL LENGTH	OVERALL LENGTH	WEIGHT
STINGRAY HUNTER	17.5"(44cm)	41.1"(104cm)	7.3lbs(3.3kg)
STINGRAY HUNTER QUANTUM	11.5"(29.2cm)	41.75"(106cm)	6.9lbs(3.15kg)

MODEL	CALIBRE	VELOCITY		ENERGY	
		ft/sec	m/sec	ft. lbs	Joules
SPECIFICATIONS - UK SPEC					
WRBHAWKO177	.177 (4.5mm)	800	240	11.5	15
WRBHAWKO22	.22 (5.5mm)	600	180	11.5	15
SPECIFICATIONS - UNRESTRICTED					
WRBHAWKOFAC177	.177 (4.5mm)	890	270	13	18
WRBHAWKOFAC22	.22 (5.5mm)	660	200	14	19
SPECIFICATIONS - 7 JOULES					
WRBHAWKO177J75	.177 (4.5mm)	600	183	5.5	7.5
SPECIFICATIONS - 2 JOULES					
WRBHAWKO177J22	.177 (4.5mm)	300	90	1.47	2

* Other power levels available on request.

- Precision steel rifled barrel
- Machined scope grooves
- POWR-LOK mainspring
- Automatic re-settable safety catch
- Sculptured black synthetic thumbhole right handed stock
- Fully adjustable two-stage Quattro trigger
- TRU-GLO sight system with micro adjustable rear sight on standard Stingray Hunter model only
- Available in standard or Quantum models



* Please note that the scope is not included.

PATRIOT



- Precision steel rifled barrel
- TRU-GLO sight system with micro adjustable rear sight
- Machined scope grooves
- POWR-LOK mainspring
- Automatic re-settable safety catch
- High quality walnut stock
- Fully adjustable two-stage Quattro Trigger
- Maximum power

* Please note that the scope is not included.


MODEL	CALIBRE	VELOCITY		ENERGY		WEIGHT	BARREL LENGTH	OVERALL LENGTH
		ft/sec	m/sec	ft. lbs	Joules			
PATRIOT	.177 (4.5mm)	1250	350	22	30	9 lbs (4.1kg)	17.5" (44cm)	45.6" (116cm)
PATRIOT	.22 (5.5mm)	880	270	25	34	9 lbs (4.1kg)	17.5" (44cm)	45.6" (116cm)
PATRIOT	.25 (6.35mm)	820	250	30	41	9 lbs (4.1kg)	17.5" (44cm)	45.6" (116cm)

A firearms certificate is required to purchase the webley patriot in the uk.



QUANTUM UNIVERSAL SILENCER


NEW



For illustration purposes only

- Universal Fit
- Fits Barrel Diameter from 14.3mm to 16mm
- 4 Chamber Sound Reduction
- Suits all Airgun Calibres
- Retro Fit for just about any Break Barrel Airgun
- Lightweight
- Economically priced

The Quantum silencer design works by using the first chamber to back reflex excess air form behind the pellet into the cavity and silencer wall. This slows down the air without the loss of power which in turn reduces the sound. The remaining chambers incorporate extra baffles and two acoustic felt cages to absorb any build up of pressure whilst the pellet travels through the silencer.



RAIDER 10 PCP



Now with manual Safety Catch

RAIDER 10XS

- Recoilless
- Precision steel choked rifled barrel
- Precision scope grooves
- High quality ambidextrous walnut stock
- Adjustable two-stage trigger
- Detachable 10 shot magazine
- Integral pressure gauge
- Raider 10 XS where markets allow can be supplied with the QGS II sound moderator

* Please note that the scope is not included.

MODEL	CALIBRE	FILL PRESSURE	SHOTS PER FILL	VELOCITY		ENERGY		BARREL LENGTH	OVERALL LENGTH	WEIGHT
				ft/sec	m/sec	ft. lbs	Joules			
SPECIFICATIONS - UK SPEC										
WRRaid10177	.177 (4.5mm)	190 bar	60	800	240	11.5	15	42cm (16.5")	108cm(42")	3.76kg(8.3lbs)
WRRaid1022	.22 (5.5mm)	190 bar	80	600	180	11.5	15	42cm (16.5")	108cm(42")	3.76kg(8.3lbs)
SPECIFICATIONS - UNRESTRICTED										
WRRaid10177FAC	.177 (4.5mm)	190 bar	20	1000	300	18	24	42cm (16.5")	91.5cm(36")	3.5kgs(7lbs11oz)
WRRaid1022FAC	.22 (5.5mm)	190 bar	24	820	250	20	27	42cm (16.5")	91.5cm(36")	3.5kgs(7lbs11oz)
SPECIFICATIONS - 7.5 JOULE										
WRRaid10177J75	.177 (4.5mm)	190 bar	100	600	183	5.5	7.5	42cm (16.5")	108cm(42")	3.76kg(8.3lbs)
SPECIFICATIONS - 2 JOULES										
WRRaid10177J2	.177 (4.5mm)	190 bar	100+	300	90	1.47	2	42cm (16.5")	108cm(42")	3.76kg(8.3lbs)

* Unrestricted guns for USA can not be supplied with detachable silencers

* Other power levels available on request.

RAIDER 12 QUANTUM

NEW



RAIDER 12

- Supplied with 2 Magazines
- Integrated Scope Rail
- Max 200 Bar Fill
- Walnut or fully adjustable polymer stock
- Integrated Quantum Silencer
- Fully Adjustable 2 Stage Trigger
- 14 Shot .177 and 12 Shot .22
- Air Fill Gauge
- Self indexing magazine

* Please note that the scope is not included.

MODEL	CALIBRE	VELOCITY		ENERGY		BARREL LENGTH	OVERALL LENGTH	WEIGHT
		ft/sec	m/sec	ft. lbs	Joules			
SPECIFICATIONS - UK SPEC								
WRRaid12177	.177	800	240	11.5	15	48cm (19")	104cm(41")	3.4kgs(7.5lbs)
WRRaid1222	.22	600	180	11.5	15	48cm (19")	104cm(41")	3.4kgs(7.5lbs)
SPECIFICATIONS - UNRESTRICTED								
WRRaid12177FAC	.177	1250	350	22	30	48cm (19")	104cm(41")	3.4kgs(7.5lbs)
WRRaid1222FAC	.22	880	270	25	34	48cm (19")	104cm(41")	3.4kgs(7.5lbs)
SPECIFICATIONS - 7.5 JOULE								
WRRaid12177J75	.177	600	180	5.5	7.5	48cm (19")	104cm(41")	3.4kgs(7.5lbs)
SPECIFICATIONS - 2 JOULES								
WRRaid12177J2	.177	300	90	1.47	2	48cm (19")	104cm(41")	3.4kgs(7.5lbs)

* Other power levels available on request.

TEMPEST



- Traditional barrel over cyclinder design
- Grip designed to fit the hand, with thumb rest and checkering
- Positively locked barrel using the famous Webley revolver-type stirrup
- Rear sight with vertical and horizontal adjustment
- Manual safety catch (i.e. Selective use)
- Adjustable trigger

MODEL	CALIBRE	VELOCITY		ENERGY		WEIGHT	BARREL LENGTH	OVERALL LENGTH
		ft/sec	m/sec	ft. lbs	Joules			
SPECIFICATIONS – UK/7.5 Joules								
WPITEMP177	.177 (4.5mm)	420	128	3.1	4.2	2 lbs (0.9kg)	6.89in (17.5cm)	9.12in (23.2cm)
WPITEMP22	.22 (5.5mm)	330	100	3.3	4.5	2 lbs (0.9kg)	6.89in (17.5cm)	9.12in (23.2cm)

TYPHOON



- Adjustable 2 stage trigger
- Manual safety catch
- Ambidextrous synthetic grip
- Semi-recoiless shooting
- Steel rifled barrel
- Micro adjustable rear sight
- Machined scope grooves
- Comes with detachable cocking aid



MODEL	CALIBRE	VELOCITY		ENERGY		WEIGHT	BARREL LENGTH	OVERALL LENGTH	WEIGHT
		ft/sec	m/sec	ft. lbs	Joules				
SPECIFICATIONS - UK/7.5 Joules									
WPITYPH177	.177 (4.5mm)	450	140	3.5	4.8	3 lbs (1.38kg)	6.89in (17.5cm)	14.8in (37.5cm)	3 lbs (1.38kg)
WPITYPH22	.22 (5.5mm)	330	100	3.3	4.5	3 lbs (1.38kg)	6.89in (17.5cm)	14.8in (37.5cm)	3 lbs (1.38kg)
SPECIFICATIONS - 2 JOULES									
WPITYPH177J2	.177 (4.5mm)	300	90	1.47	2	3 lbs (1.38kg)	6.89in (17.5cm)	14.8in (37.5cm)	3 lbs (1.38kg)



Webley, for over 100 years, has been designing & developing airguns that have boasted quality, innovation and reliability.

PELLETS



ACCUPELL
AccuPell® is still the biggest pellet sensation the airgun industry has ever seen. AccuPell® has won countless F.T. competitions in the UK and Europe, and is still the pro-shooters choice.
CALIBRE: .177 (4.5MM) **TYPE:** Domed **WEIGHT:** 7.9gr
TIN QTY: 500
CALIBRE: .22 (5.5MM) **TYPE:** Domed **WEIGHT:** 14.3gr
TIN QTY: 500



MATCHPELL
MatchPell® high velocity, flat head shooting pellets offer perfect performance and consistency. The unique bevelled edge design provides the aero-dynamic quality necessary to achieve the high level consistent accuracy demanded by top match shooters.
CALIBRE: .177 (4.5MM) **TYPE:** Flat Head **WEIGHT:** 7.9gr
TIN QTY: 500



POWAPELL
PowaPell® have set a high standard for accuracy and are designed for hunters and pest controllers who require extra penetration for tough skinned quarry when shooting at longer ranges.
CALIBRE: .177 (4.5MM) **TYPE:** Pointed **WEIGHT:** 7.9gr
TIN QTY: 500
CALIBRE: .22 (5.5MM) **TYPE:** Pointed **WEIGHT:** 14.3gr
TIN QTY: 500



VERMINPELL
VerminPell® have completely re-written the rules for close range pest control. The flat head pellet design gives effectively greater striking-power and is the No:1 choice for close range, humane hunting.
CALIBRE: .22 (5.5MM) **TYPE:** Flat Head **WEIGHT:** 14.3gr
TIN QTY: 500



MOSQUITO EXPRESS

The Original Mosquito® is finally back. Made to the exact same standard and tolerances as the original Mosquito®. Excellent for all Target applications as well as hunting and plinking.

CALIBRE: .177 (4.5MM) **TYPE:** Domed **WEIGHT:** 7.87gr **TIN QTY:** 500

CALIBRE: .22 (5.5MM) **TYPE:** Domed **WEIGHT:** 14.35gr **TIN QTY:** 500



VMX PELL

Developed with the principles of accuracy and knock down power at a price that will amaze even the most budget conscious. Featuring Webleys' AERO-DOME® head, the VMX Pell combines a flat head functionality for knock down power and a domed head functionality for accuracy. Whatever your shooting requirement, the VMX Range is guaranteed to satisfy.

CALIBRE: .177 (4.5MM) **TYPE:** Aero-Domed **WEIGHT:** 8.18gr **TIN QTY:** 500

CALIBRE: .22 (5.5MM) **TYPE:** Aero-Domed **WEIGHT:** 14.66gr **TIN QTY:** 2x 250



ACCUPELL FT

The new addition to the AccuPell family is the AccuPell FT® range. This new pellet has been designed where accuracy and consistency is critical. Webley has also teamed up with Napier and every AccuPell FT® pellet is treated with Napiers' Pellet Lube to ensure even greater accuracy and consistency. Manufactured to the tightest tolerances possible, the AccuPell FT® range will be a winner whether competing at your local club or in the World Championships. Head sizes available: .177 - 4.52 & .22 - 5.53.

CALIBRE: .177 (4.5MM) **TYPE:** Domed **WEIGHT:** 8.18gr **TIN QTY:** 500

CALIBRE: .22 (5.5MM) **TYPE:** Domed **WEIGHT:** 14.66gr **TIN QTY:** 500



ACCUBB

The new AccuBB® 4.5mm series are a full lead BB that features a full copper jacket. This greatly reduces the risk of ricochet compared to Std Steel BBs and also prevents damage to rifling.

CALIBRE: 4.5MM **TYPE:** Domed **WEIGHT:** 7.4gr **TIN QTY:** 500



VELOCIPELL

Webley VelociPell® Pellets have been designed especially for CO² Airguns and Spring Airguns. Increases Velocity compared to Std AccuPell® and provide excellent accuracy.

CALIBRE: .177 **TYPE:** Flat Head **WEIGHT:** 7.26gr **TIN QTY:** 500

CLOTHING



T-SHIRTS



REVOLVER



MADE IN ENGLAND



TRADITION



100%



ROMAN



WAVE

“Shoot the guns,
wear the tee shirts”

- Range of unique Webley designs
- 7 Distinctive colours
- Sizes S-3XL

BASEBALL CAPS



WEBLEY



WEBLEY & SCOTT



AGS

- Modern design
- Stylish colours
- Sturdy head wear

ACCESSORIES



ACCUPUMP™
PCP HAND PUMP

An impressive 310 BAR pressure fill rate and supplied with adaptors to suit most airguns. Webley tri-filter system and comes ready assembled.



TRIPUMP™
PCP HAND PUMP

250 BAR maximum fill with three stage design which makes it easier to use. Ergonomic handle with integrated moisture trap.



PRO-TILT BIPOD

Fully adjustable bipod with swivel style adjustment including noise reducing spring covers.

Available in: 6-9" & 9-13"



QGS SILENCER

Designed and manufactured in the UK with a 1/2" UNF thread to suit most airguns and .22LR rifles.

Now available in larger capacity .17HMR version with fire retarded inner fibre which is designed especially for .17HMR

RAIDER 12 PCP



COBALT REDI-MOUNT



VMX

- Rifle Scope designed for Airgun and Rimfire Rifles with parallax set at 35 yards.
- Spring, PCP & Gas Ram Rated
- One Inch Tube
- Wide Field of view with VMX Lens Coating
- Mil Dot Reticle
- Available in 4x32 Mil Dot and 3-9x40 Mil Dot



SAPPHIRE MATCH MOUNTS

AGS Sapphire Match Mounts with Double Screw and rear Recoil Lug. Available in 3/8" dovetail in both medium and high one inch.



HALF MIL DOT RIFLE SCOPE

- Rifle Scope designed for Airgun and Rimfire Rifles with parallax set at 35 yards
- Spring, PCP & Gas Ram Rated
- One Inch Tube
- Wide Field of view with Cobalt Lens Coating with 3/8" Double Screw Match Mounts
- Half Mil Dot Reticle

Available in 4x40 and 3-9x40



ILLUMINATED HALF MIL DOT RIFLE SCOPE

- Rifle Scope designed for Airgun and Rimfire Rifles with parallax set at 35 yards
- Spring, PCP & Gas Ram Rated
- One Inch Tube
- Wide Field of view with Cobalt Lens Coating with 3/8" Double Screw Match Mounts
- Illuminated Half Mil Dot Reticle

Available in 3-9x50, 4-16x50 & 6-24x50 with side parallax



AGS COBALT REDI-MOUNT PISTOL SCOPES

- Long Eye Relief for Pistol use
- Supplied with 5/8" Double Screw Match Rings
- Cobalt Lens Coating
- Duplex Reticle

Available in 2x20



WEBLEY & SCOTT[©]
WWW.WEBLEY.CO.UK

SINCE 1790



[www.facebook.com/
WebleyandScott](https://www.facebook.com/WebleyandScott)



@ highlandoutdoors



www.webley.co.uk

All specifications quoted in this catalogue were carried out at sea level. Performance varies with humidity, pressure, temperature, height above sea level and pellet type.